Applicants: Yu-Ri SONG, et. al. Serial No.: 10/615,798

- 2 -

## **AMENDMENT TO CLAIMS**

## In the Claims:

Please AMEND claims 1, 9, and 15.

A copy of all pending claims and a status of each is provided below.

1. (Currently Amended) A thin film transistor array panel, comprising:

an insulating substrate;

a gate line formed on the substrate;

a plurality of storage electrodes formed on the substrate, each storage

electrode including a plurality of branches;

a gate insulating layer formed on the gate line and the storage electrode;

a semiconductor layer formed on the gate insulating layer;

a data conductor formed on the [[data]] semiconductor layer;

a passivation layer formed on the data conductor; and

a pixel electrode layer formed on the passivation layer,

wherein at most one of the branches of each storage electrode has an isolated end.

- 2. (Previously Presented) The thin film transistor array panel of claim 1, wherein longitudinal portions of adjacent storage electrodes are connected by connecting portions.
- 3. (Previously Presented) The thin film transistor array panel of claim 1, further comprising a connection bridge having a portion thereof connected to each of the isolated

Applicants: Yu-Ri SONG, et. al. Serial No.: 10/615,798

- 3 -

ends of the plurality of storage electrodes and a portion thereof connected to a storage electrode line formed on the substrate.

- 4. (Previously Presented) The thin film transistor array panel of claim 1, wherein each storage electrode further comprises two longitudinal branches and two oblique branches, and the branches of each storage conductor form a closed loop.
- 5. (Previously Presented) The thin film transistor array panel of claim 1, wherein each storage electrode comprises two longitudinal branches connected to three oblique branches, the connected branches forming two closed loops.
- 6. (Previously Presented) The thin film transistor array panel of claim 1, wherein each storage electrode comprises two longitudinal branches connected to four oblique branches, the connected branches forming three closed loops.
- 7. (Previously Presented) The thin film transistor array panel of claim 1, wherein the pixel electrode has a plurality of cutouts, and at least one of the cutouts overlaps the storage electrode.
- 8. (Previously Presented) The thin film transistor panel of claim 1, wherein the data conductor has substantially the same planar shape as the semiconductor layer except for a channel portion of the semiconductor layer.

Applicants: Yu-Ri SONG, et. al. Serial No.: 10/615,798

- 4 -

9. (Currently Amended) A thin film transistor array panel, comprising:

an insulating substrate;

a gate line formed on the substrate;

a plurality of storage electrodes formed on the substrate, each storage

electrode including a plurality of branches;

a gate insulating layer formed on the gate line and the storage electrode;

a semiconductor layer formed on the gate insulating layer;

a data conductor formed on the [[data]] semiconductor layer;

a passivation layer formed on the data conductor; and

a pixel electrode layer formed on the passivation layer,

wherein at most one of the branches of each storage electrode has an isolated end, and

wherein longitudinal portions of adjacent storage electrodes are connected by connecting portions.

10. (Previously Presented) The thin film transistor array panel of claim 9, further comprising a connection bridge having a portion thereof connected to each of the isolated ends of the plurality of storage electrodes and a portion thereof connected to a storage electrode line formed on the substrate.

11. (Previously Presented) The thin film transistor array panel of claim 9, wherein each storage electrode further comprises two longitudinal branches and two oblique branches, and the branches of each storage conductor form a closed loop.

Applicants: Yu-Ri SONG, et. al.

Serial No.: 10/615,798

12. (Previously Presented) The thin film transistor array panel of claim 9, wherein each

storage electrode comprises two longitudinal branches connected to three oblique

branches, the connected branches forming two closed loops.

13. (Previously Presented) The thin film transistor array panel of claim 9, wherein each

storage electrode comprises two longitudinal branches connected to four oblique

branches, the connected branches forming three closed loops.

14. (Previously Presented) The thin film transistor array panel of claim 9, wherein the

pixel electrode has a plurality of cutouts, and at least one of the cutouts overlaps the

storage electrode.

15. (Currently Amended) The thin film transistor array panel of claim 9, wherein the

data conductor has substantially the same planar shape as the semiconductor layer except

for a channel portion of the semiconductor layer.

- 5 -